Jay Industries, Inc. Written Powered Industrial Truck/Forklift Exam

Name	e Written Exam Date Shift Shift	
Supervisor:	Plant Name:	Shift
You :	must read the policy and watch the video before completing	this written exam.
1. TF_		
2. TF_	procedures and responsibilities regarding the safe operation and use of forklifts. All forklift operators are charged with the responsibility of full compliance with the Written Policy.	
3. TF_		erate forklifts.
3. TF_ 4. TF_		
	when not in use.	
5. TF_	The forklift is unattended when the operator is 25 ft. or movehicle.	ore away from the
6. TF_		ff and hrakes set when
0. 11_	unattended.	if and brakes set when
7. TF_		hrough the uprights of
8. T F		orklifts
8. TF 9. TF	Forklifts may be driven up to anyone standing in front of a	
	long as the brakes are in good condition.	J
10. T F		Forklift only if the driver
44 65 75	is at the controls.	
11. T F	When the operator of a forklift is dismounted within 25 ft.	
	his view, the load engaging means shall be fully lowered,	and controls
12. T F	neutralized and brakes set to prevent movement. A safe distance shall be maintained from the edge of ramp	s or platforms while on
12. 11	elevated docks or platforms.	s of platforms wiffe on
13. T F	*	et on the truck and
	trailer.	
14. T F		orn at cross aisles and
4.5.53	other locations where vision is obstructed.	
15. T F		is required to travel
16 T E	with the load trailing.	l Iraam a alaam -via af
16. T F	The driver shall be required to look in the direction of, and the path of travel.	i keep a clear view of
17 T F		
17. T F 18. T F	No welding shall be performed from, near or to forklifts u	nless precautions have
10. 1 1	been taken to prevent fire from sparks reaching the forklife	~
	engine compartment and fuel supply.	,
19. T F	Any forklift that is unsafe and in need of repair, may be us	ed as long as the operator
	notifies the maintenance department.	-
20. T F 21. T F	Operators are required to use seat belts when the forklift is	
21. T F		each shift and the
	results recorded on the daily inspection sheet.	

22. T F	Operators loading and unloading trucks and trailers are required to check that the wheels
are chocked b	before entering the truck or trailer and that the dock log is filled out and signed by the truck
driver.	
23. T F	When LP tanks on forklifts are changed, the operator is required to use eye
	and face protection.
24. T F	Forklift operators are required to travel with the forks as close to the floor as
	possible without dragging on the floor and the forks shall not be raised or lowered
	while the forklift is in motion.
25. TF	Seatbelts do not have to be worn during short trips on the Forklift.

You must read the statement below before answering multiple choice questions.

Forklift Operator Test Statement

Forklifts are designed and engineered for a specific operation. Modifications to any forklift must be approved by the manufacturer. All forklifts are required to have an overhead guard. This overhead guard is not to be covered. Clear visibility through the guard must be maintained at all times. Any time you plan to enter a truck or trailer, the wheels must be chocked. The operating speed of the forklift is limited by the condition of the surface in which you are operating and should never exceed 5 MPH or about the speed of a normal walk. Never stand on or pass under any elevated portion of a forklift and never park the forklift where it blocks exits, aisles, stairs, doors, electric panels, fire extinguishers or hoses. The appropriate PPE must be used when driving or changing LP tanks. Stunt driving is never permitted.

CIRCLE LETTER IN FRONT OF ALL CORRECT ANSWERS

- 27. Modifications to forklifts must be approved by:
 - a. OSHA.
 - b. The United States Forklift Association.
 - c. The Manufacturer.
- 28. An overhead guard is required on:
 - a. Only CNG powered forklifts.
 - b. Only on electric powered forklifts.
 - c. On all forklifts.
- 29. All trucks and semi-trailers must have the wheels chocked when:
 - a. The truck or trailer is full.
 - b. The truck or trailer is empty.
 - c. The driver will be entering the truck or trailer with a forklift.
- 30. You must never pass under or stand on:
 - a. Any load exceeding 1200 pounds.
 - b. Any load over 6 feet wide.
 - c. Any elevated portion of the forklift.
- 31. When using a safety (cage) platform you must:
 - a. Use the safety chain to secure the cage to the mast.
 - b. The operator must remain at the controls.
 - c. Never travel with personnel elevated in the cage.

32. Never park the forklifts or loads in front of:a. Fire extinguishers or fire hoses.b. Doors, stairs or fire exits.c. Aisles.
 33. Stunt driving and horseplay are: a. Never permitted. b. Permitted by trained and authorized drivers. c. Allowed only in empty parking lots.
34. The operator must report to management:a. Any safety problems with the forklift.b. Any damage they cause with the forklift.c. Any injury they cause with the forklift.
35. The operational speed of a forklift is limited by:a. The type of fuel, such as LP gas, gasoline, CNG etc.b. The combined weight of the load and the forklift.c. The conditions in which the forklift will operate.
36. The safe speed of a forklift is:a. The speed of a person walking or about 5 MPH.b. As fast as the forklift is capable of traveling.c. As fast in reverse as it goes forward.
37. Earphones may be used to listen to music when operating a fork lifta. When alone working in the warehouse.b. Any time during operation if only one ear is being used.c. They are not allowed to be used.
(Print name) has completed this written exam and I understand the rules and policies governing the operation of Powered Industrial Trucks. I will follow these rules and operate the forklift safely and carefully.

Date:

Signature: